

MAG6369

Network Outdoor

Waterproof Column Speaker



Description

MAG6369 Network Outdoor Waterproof Column Speaker is a network all-digital analog-to-digital conversion signal processor with a high-fidelity speaker based on TCP/IP transmission protocol. The modern network playback terminal, with the integrated design of the processor and the column speaker, can be mounted to any place with access to network. The machine can output the remote audio data stream as the audio signal and give a sound directly, with intelligent control of the host.

Features

- Adopt all-weather design and waterproof unit, applicable to indoors and outdoors, with long service life, high sensitivity ($89\pm 2\text{dB}$), clear and bright sound.
- With maximum sound pressure level of $103\pm 2\text{dB}$, and effective frequency range of $20\text{Hz} \sim 20\text{kHz}$.
- Can be mounted to any place with access to network.
- Support 16bit digital audio stream decoding at a maximum sampling rate of 48kHz.
- With a built-in 40W digital amplifier, with low power consumption.
- Can play background music, emergency paging and alarm signals from the system host.
- Can control local output volume and local playing status.
- With waterproof structure, waterproof grade IPX6.

Specifications

		Index Items	Index Parameters
Acoustic System		Drive Unit	4 " × 4, 1 " × 1
		Sensitivity (1m. 1W)	93±2dB
		MAX. SPL. (1m)	109±2dB
		Frequency Response	140Hz-14kHz
		Rated Power (RMS)	40W
System Amplifier	NET Play	Frequency Response	20Hz-18kHz(±3dB)
	Built-in	Distortion	≤1 %
	Amplifier	SNR	≥70dB
		Power Supply	AC220V/50Hz
		Package Dimensions (H×W×D mm) (2 pieces)	700×310×190
		Machine Dimensions (H×W×D mm)	643×137×117
		Gross Weight	5.25kg
		Net Weight	5.0kg